



Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Raquel M. Filmanowicz  
Health Operations Administrator

**Health Department**

Family and Community Health Services

web site: [www.milwaukee.gov/health](http://www.milwaukee.gov/health)

## Routine Food

ABDALLAH, INC.  
INTERNATIONAL HOUSE OF PANCAKES (IHOP)  
8101 W BROWN DEER RD  
MILWAUKEE, WI

**1/22/2009**

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Code Number	Description of Violation	Correct By
3-304.14	Many wet wiping cloths found throughout the kitchen area. Always store wiping cloths in a sanitizing solution in between uses.	2/5/2009
3-501.16	The temperature of the cheese inside the 2 drawer cooler in the front kitchen measured at 48 degrees F. and the front cooler in the waitress station measured at 50 degrees F. All potentially hazardous food must be held cold at 41 degrees or below.	2/5/2009
3-602.11	There is a cream cheese product inside a squeeze bottle container labeled for caramel. Ensure that all food containers are properly labeled to identify the product it contains.	2/5/2009
4-601.11	Two dirty knives were found inside the knife rack. Do not place dirty knives in the knife rack. All food contact equipment and utensils must be clean and sanitized before use.	2/5/2009
5-205.11	Front handwashing sink had towels and tupperware containers inside the basin. Do not place anything inside the sink basins, the handwashing sink must be available for all handwashing at all times.	2/5/2009



Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Raquel M. Filmanowicz  
Health Operations Administrator

**Health Department**

Family and Community Health Services

web site: [www.milwaukee.gov/health](http://www.milwaukee.gov/health)

6-501.18

1. The handwashing sink near the warewashing area had the hot water turned off due to a leak. Repair the water leak so that there is both hot and cold running water available at all handwashing sinks.

2/5/2009

2. The handle for the hot side of the handwashing sink at the west end waitress station is missing. Replace the missing handle.

**Notes:**

NOTES: 1. Remove the moldy caulk around the handwashing and warewashing sinks. Apply new caulk so that it is smooth and cleanable.

2. Repair the 2 drawer cooler so that the doors properly shut.

3. The white wire shelving in the front kitchen reach-in coolers are rusting and chipping. Have shelving recoated.

On 1/22/2009, I served these orders upon ABDALLAH, INC. by leaving this report with

Inspector Signature (Inspector ID:4)

Operator Signature